

L Number	Hits	Search Text	DB	Time stamp
1	707	370/464	USPAT	2004/08/07 11:35
2	3799	370/465	USPAT	2004/08/07 11:35
3	2536	370/466	USPAT	2004/08/07 11:35
4	2074	370/328	USPAT	2004/08/07 11:35
5	716	370/348	USPAT	2004/08/07 11:35
6	1184	370/310	USPAT	2004/08/07 11:35
7	716	370/348	USPAT	2004/08/07 11:35
8	221	((configuration and registration) and spatial\$3) and training and base	USPAT	2004/08/07 11:36
9	0	370/464 AND (((configuration and registration) and spatial\$3) and training and base)	USPAT	2004/08/07 11:36
10	1	370/465 and (((configuration and registration) and spatial\$3) and training and base)	USPAT	2004/08/07 11:36
11	1	370/466 and (((configuration and registration) and spatial\$3) and training and base)	USPAT	2004/08/07 11:36
12	2	370/328 and (((configuration and registration) and spatial\$3) and training and base)	USPAT	2004/08/07 11:36
13	0	370/348 and (((configuration and registration) and spatial\$3) and training and base)	USPAT	2004/08/07 11:36
14	0	370/310 and (((configuration and registration) and spatial\$3) and training and base)	USPAT	2004/08/07 11:36
15	23	(((configuration adj message) and (configuration adj request)) and access) and(assign\$5 or allocat\$5)) and (ID\$1 or identi\$8)	USPAT	2004/08/07 11:37
16	0	370/464 and ((((configuration adj message) and (configuration adj request)) and access) and(assign\$5 or allocat\$5)) and (ID\$1 or identi\$8))	USPAT	2004/08/07 11:37
17	0	370/310 and ((((configuration adj message) and (configuration adj request)) and access) and(assign\$5 or allocat\$5)) and (ID\$1 or identi\$8))	USPAT	2004/08/07 11:37
-	53	"5642353"	USPAT	2004/07/29 10:10
-	51	"5828658"	USPAT	2004/07/28 18:18
-	234	gps adj2 timing	USPAT	2004/07/28 18:18
-	4088	duplexer	USPAT	2004/07/28 18:18
-	6	(gps adj2 timing) and duplexer	USPAT	2004/07/28 18:19
-	2014	training adj sequence\$1	USPAT	2004/07/28 18:19
-	12	(gps adj2 timing) and (training adj sequence\$1)	USPAT	2004/07/28 18:19
-	1	((gps adj2 timing) and duplexer) and (training adj sequence\$1)	USPAT	2004/07/28 18:20
-	171	host adj dsp	USPAT	2004/07/28 18:20
-	15	duplexer and (host adj dsp)	USPAT	2004/07/28 18:21
-	0	"6790599"	USPAT	2004/07/29 10:10
-	1	"6760599"	USPAT	2004/07/29 10:50
-	1	"6594494".PN.	USPAT	2004/07/29 10:10
-	1	"6438117".PN.	USPAT	2004/07/29 10:11
-	1	"6584325".PN.	USPAT	2004/07/29 10:11
-	1	"6556834".PN.	USPAT	2004/07/29 10:11
-	1	"6526279".PN.	USPAT	2004/07/29 10:11
-	1	"6442146".PN.	USPAT	2004/07/29 10:12
-	1	"6356739".PN.	USPAT	2004/07/29 10:12
-	3485	frame adj3 timing	USPAT	2004/07/29 10:50
-	355	gps adj3 timing	USPAT	2004/07/29 10:50
-	111416	base and station\$1	USPAT	2004/07/29 10:50
-	29	(frame adj3 timing) and (gps adj3 timing) and (base and station\$1)	USPAT	2004/07/29 10:50
-	1	((frame adj3 timing) and (gps adj3 timing) and (base and station\$1)) and (pre adj3 programmed adj3 carrier\$1)	USPAT	2004/07/29 10:50
-	9	pre adj3 programmed adj3 carrier\$1	USPAT	2004/07/29 10:59
-	1933	rss	USPAT	2004/07/29 10:59
-	1	bch adj3 rss	USPAT	2004/07/29 11:02
-	95	rreq	USPAT	2004/07/29 11:03
-	69	pid and rid	USPAT	2004/07/29 11:03
-	1	((frame adj3 timing) and (gps adj3 timing) and (base and station\$1)) and (pid and rid)	USPAT	2004/07/29 11:16
-	32894	configuration and registration	USPAT	2004/07/29 11:16
-	152	rss and (configuration and registration)	USPAT	2004/07/29 11:17
-	3	((frame adj3 timing) and (gps adj3 timing) and (base and station\$1)) and training	USPAT	2004/07/29 14:16
-	4	(gps adj3 timing) and (rss and (configuration and registration))	USPAT	2004/07/29 11:41
-	123796	spatial\$3	USPAT	2004/07/29 11:42

-	74	training and (channel adj10 (assign\$5 or allocat\$5) adj10 available)	USPAT	2004/07/29 17:16
-	14	spatial\$3 and (training and (channel adj10 (assign\$5 or allocat\$5) adj10 available))	USPAT	2004/07/29 17:19
-	3	(channel adj10 request adj10 uplink) and (acknowledgement adj19 downlink)	USPAT	2004/07/29 17:19
-	493	channel same request same uplink	USPAT	2004/07/29 17:28
-	137	acknowledgement same downlink	USPAT	2004/07/29 17:28
-	6949	channel same (assign\$5 or allocat\$5) same available	USPAT	2004/07/29 17:29
-	24	(channel same request same uplink) and (acknowledgement same downlink) and (channel same (assign\$5 or allocat\$5) same available)	USPAT	2004/07/29 17:29
-	2	training and ((channel same request same uplink) and (acknowledgement same downlink) and (channel same (assign\$5 or allocat\$5) same available))	USPAT	2004/07/29 17:33
-	81312	(configuration adj3 request) or cr	USPAT	2004/07/29 17:34
-	310275	(configuration adj3 message) or cm	USPAT	2004/07/29 17:34
-	17582	((configuration adj3 request) or cr) and ((configuration adj3 message) or cm)	USPAT	2004/07/29 17:34
-	927	(configuration adj3 request)	USPAT	2004/07/29 17:34
-	1144	configuration adj3 message	USPAT	2004/07/29 17:34
-	117	((configuration adj3 request)) and (configuration adj3 message)	USPAT	2004/07/29 17:34
-	1	"5883884".PN.	USPAT	2004/07/29 17:43
-	1	"5408679".PN.	USPAT	2004/07/29 17:43
-	1	"5404570".PN.	USPAT	2004/07/29 17:43
-	1	"5200955".PN.	USPAT	2004/07/29 17:43
-	1	"5152002".PN.	USPAT	2004/07/29 17:43
-	17541	(allocat\$3 same available)	USPAT	2004/07/30 16:30
-	120153	request	USPAT	2004/07/30 15:23
-	20490	ack or acknowledge	USPAT	2004/07/30 15:23
-	4548	uplink and downlink	USPAT	2004/07/30 15:24
-	205547	register	USPAT	2004/07/30 15:24
-	279782	id or identification	USPAT	2004/07/30 15:24
-	275399	random	USPAT	2004/07/30 15:24
-	442301	assign\$5	USPAT	2004/07/30 15:25
-	56	((allocat\$3 same available)) and request and (ack or acknowledge) and (uplink and downlink) and register and (id or identification) and random and assign\$5	USPAT	2004/07/30 16:19
-	28	04.60	USPAT	2004/08/02 10:32
-	262547	train\$3 or learn\$3	USPAT	2004/07/30 16:23
-	0	04.60 and (train\$3 or learn\$3)	USPAT	2004/07/30 16:29
-	2332	370/329	USPAT	2004/07/30 16:30
-	369	(train\$3 or learn\$3) and 370/329	USPAT	2004/07/30 16:30
-	483155	allocat\$3 or assign\$5	USPAT	2004/07/30 16:30
-	322	((train\$3 or learn\$3) and 370/329) and (allocat\$3 or assign\$5)	USPAT	2004/07/30 16:30
-	155044	request\$2	USPAT	2004/07/30 16:30
-	224	((((train\$3 or learn\$3) and 370/329) and (allocat\$3 or assign\$5)) and request\$2	USPAT	2004/07/30 16:30
-	65	(ack or acknowledge) and (((train\$3 or learn\$3) and 370/329) and (allocat\$3 or assign\$5)) and request\$2)	USPAT	2004/07/30 16:30
-	28	04.60	USPAT	2004/08/02 10:32
-	34272	request and allocat\$3	USPAT	2004/08/02 10:33
-	459421	parameter\$1	USPAT	2004/08/02 10:33
-	11	(04.60 and (request and allocat\$3)) and parameter\$1	USPAT	2004/08/02 10:33
-	948850	configuration	USPAT	2004/08/02 10:33
-	3	(04.60 and (request and allocat\$3)) and configuration	USPAT	2004/08/02 10:33
-	16	04.60 and (request and allocat\$3)	USPAT	2004/08/02 10:44
-	10	(04.60 and (request and allocat\$3)) and random	USPAT	2004/08/02 11:12
-	2	"6683860"	USPAT	2004/08/02 11:12
-	0	"6683860" and (bch or broadcast)	USPAT	2004/08/02 11:13
-	2	"6683860" and regist\$5	USPAT	2004/08/02 11:17
-	15	"6031832" and regist\$5	USPAT	2004/08/02 11:18
-	14	"6031832" and (bch or broadcast)	USPAT	2004/08/02 11:26
-	12	"6031832" and configuration	USPAT	2004/08/02 11:29
-	0	"6683860" and (bch or broadcast)	USPAT	2004/08/02 11:29
-	1	"6683860" and configuration	USPAT	2004/08/02 11:29
-	0	"6683860" and session	USPAT	2004/08/02 11:29
-	0	"6683860" and session\$1	USPAT	2004/08/02 11:29

-	12	"6031832" and session\$1	USPAT	2004/08/02 11:30
-	460	configuration adj message	USPAT	2004/08/02 11:30
-	345	configuration adj request	USPAT	2004/08/02 11:30
-	25	((configuration adj message) and (configuration adj request)	USPAT	2004/08/02 13:34
-	22	((configuration adj message) and (configuration adj request)) and (allocat\$3 or assignm\$3)	USPAT	2004/08/02 11:32
-	24	((configuration adj message) and (configuration adj request)) and (allocat\$3 or assign\$5)	USPAT	2004/08/02 11:33
-	17	(((((configuration adj message) and (configuration adj request)) and (allocat\$3 or assign\$5)) and (pag\$3 or registrat\$3)) and (ID\$1 or identif\$6)	USPAT	2004/08/02 11:35
-	11	(((((configuration adj message) and (configuration adj request)) and (allocat\$3 or assign\$5)) and (pag\$3 or registrat\$3)) and (ID\$1 or identif\$6)) and random	USPAT	2004/08/02 11:54
-	17	(((((configuration adj message) and (configuration adj request)) and (allocat\$3 or assign\$5)) and (pag\$3 or registrat\$3)	USPAT	2004/08/02 11:59
-	25	(configuration adj message) and (configuration adj request)	USPAT	2004/08/02 13:34
-	24	((configuration adj message) and (configuration adj request)) and access	USPAT	2004/08/02 13:34
-	23	((configuration adj message) and (configuration adj request)) and access) and(assign\$5 or allocat\$5)	USPAT	2004/08/02 13:42
-	37518	370/\$.ccls.	USPAT	2004/08/02 14:28
-	1418	((test\$3 or analyz\$3).ab.) and 370/\$.ccls.	USPAT	2004/08/02 14:28
-	5039	(collision or contention).ab.	USPAT	2004/08/02 14:28
-	23	((test\$3 or analyz\$3).ab.) and 370/\$.ccls.) and ((collision or contention).ab.)	USPAT	2004/08/02 14:29
-	18	((((configuration adj message) and (configuration adj request)) and access) and(assign\$5 or allocat\$5)) and (ID\$1 or identification\$1)	USPAT	2004/08/02 15:34
-	23	((((configuration adj message) and (configuration adj request)) and access) and(assign\$5 or allocat\$5)) and (ID\$1 or identi\$8)	USPAT	2004/08/07 11:36
-	1	(((((configuration adj message) and (configuration adj request)) and access) and(assign\$5 or allocat\$5)) and (ID\$1 or identi\$8)) and first adj entity	USPAT	2004/08/02 16:15
-	1	(((((configuration adj message) and (configuration adj request)) and access) and(assign\$5 or allocat\$5)) and (ID\$1 or identi\$8)) and second adj entity	USPAT	2004/08/02 16:15
-	3	open-request	USPAT	2004/08/02 16:16
-	59971	acceptance	USPAT	2004/08/02 16:16
-	1	(((((configuration adj message) and (configuration adj request)) and access) and(assign\$5 or allocat\$5)) and (ID\$1 or identi\$8)) and second adj entity) and open-request and acceptance	USPAT	2004/08/02 18:08
-	1	(((((configuration adj message) and (configuration adj request)) and access) and(assign\$5 or allocat\$5)) and (ID\$1 or identi\$8)) and second adj entity) and open-request and acceptance) and random	USPAT	2004/08/02 18:08
-	192753	train\$3	USPAT	2004/08/02 18:08
-	0	(((((configuration adj message) and (configuration adj request)) and access) and(assign\$5 or allocat\$5)) and (ID\$1 or identi\$8)) and second adj entity) and open-request and acceptance) and random) and train\$3	USPAT	2004/08/02 18:08
-	335643	"6539030" ABD BUFFER\$1	USPAT	2004/08/06 17:37
-	1	"6539030" And BUFFER\$1	USPAT	2004/08/06 17:48
-	0	"6539030" And random	USPAT	2004/08/06 17:48
-	1	"6539030" And random	USPAT	2004/08/06 17:48
-	0	"6539030" And rach	USPAT	2004/08/06 17:48